

DEPENDABLE  
IMPECCABLE  
AFFORDABLE  
FAVORABLE  
DURABLE  
RELIABLE  
VIABLE  
ABLE

K  
A  
R  
T  
I  
D  
A

multihead weigher  
atom/4 head/

**What these machines may lack in speed, they make up for in reliability and simplicity! These linear weighers can be suit a wide range of products, including bulky and large piece products.**

The **Atom** linear weigher is available as a 1,2,3 or 4 lane machine, some with either small or large weigh hoppers depending on size and target weights of your products.


The **Atom** machine will run reliably and accurately at up to 60 weighs per minute.

This speed is based on a 4 lane, small hopper **Atom** running at 250g target weights. Speeds are affected by target weight, inconsistent product feeding, product type and viscosity.

### Variations:

Model	Lanes	Max. Speed	Weight Range	Weigh Hopper Volume (Litres)
Atom 2S	2	20	5g - 150g	0.3
Atom 2	2	20	10g - 2kg	3
Atom 2L	2	20	100g - 5Kg	7.5
Atom 2XL	2	20	100g - 15Kg	20
Atom 3	3	30	100g - 5Kg	6
Atom 4S	4	40	5g - 150g	0.3
Atom 4	4	40	10g - 2Kg	2.5

Please note that speeds are approximate and depend heavily on individual products, target weights and density.



**Suitability/** Suitable for a wide range of mainly dry products for small to medium weighing operations.

**Accuracy/** Less accuracy in weighing than with a multihead weigher, but still within 2g\* of target weight. \*Accuracy is dependent on target weights, product type and quality of product feed.

**Speed/** Up to 40\* bags per minute. \*Maximum speed is determined by target weight, product viscosity and quality of product feed.

**Affordability/** Affordable for short term weighing requirements and start up businesses.

**Simplicity/** Very simple machines to use and run. Require no previous knowledge of machines or operation experience.

**Reliability/** High quality, reliable machines will easily run for extended periods with no loss of quality or accuracy.

- Dry Products
- Damp Products
- Frozen Products
- Sticky Products
- Bulky / Large Piece Products
- Cereals / Nuts
- Confectionary

- Fruits / Vegetables
- Meat / Fish
- Salads
- Granules
- Powders / Sands
- Liquids

vffs bagging machine  
super 240/50bpm/

**These machines are reasonably quick, very reliable and extremely easy to use! These machines can also be fitted with additional functions such as gas flushing, label printing, gussets, vacuum packing and much more.**

The **Super 240** machine is a workhorse, capable of packing at up to 50 bags per minute, consistently, accurately and reliably. A range of optional extras is available for the bagging machine to make it more suitable to your specification. These include gas flushing, euro slot hole punch, printers, cooling, laminate or polythene sealing jaws, vacuum packing and much more.

We have specifically designed the software on the **Super 240** machine to be user friendly, ergonomic and simple to use. With a few buttons and a simple "Start", "Stop" interface the machine can be operated easily and comfortably by even the most novice operator. Additional functions have also been added such as a bag counter that will automatically stop the machine after a target number of bags have been filled. This and a useful testing environment make the **Super 240** VFFS bagging machine a must have for anyone looking for a small scale or short term packing operation.



**Summary/** Overall the Super 240 basic VFFS bagging machine is an affordable, reliable and quality packaging solution for small scale packing operations.

**Ideal For/** Small to medium scale bagging requirements

**Speed/** Up to 50\* bags per minute. \*Maximum speed is determined by target weight, bag size and film type.

**Affordability/** Affordable for short term packing requirements and start up businesses.

**Simplicity/** Very simple machines to use and run. Require no previous knowledge of machines or operation experience.

**Reliability/** High quality, reliable machines will easily run for extended periods with no loss of quality or accuracy.

**Labour/** Can be run by one person providing an automated feed system is used.

- Servo Driven Film
- PLC with Touch Screen HMI
- Simple Date Printer
- Eye-mark PEC Sensor
- Stainless Steel Construction
- Air Cooling System
- Air Expelling System
- 12 Months Warranty

- Gusset Device
- Gas Flushing
- Euro-Slot Jaws
- Polythene Film Sealing System
- Vacuum Device
- Bag Support

multipak packaging machinery  
[contact/information/](#)

**MultiPak Packaging Machinery source new packing machinery from around the globe to provide our customers best prices available for quality and reliable machinery.**

We also offer a range of services including installation, commissioning, training, support and maintenance and we also together and install complete packing lines.

As a company we aim to provide our customers with options that can raise their productivity and increase profits, ultimately providing an opportunity for growth.

Our business is not only about sourcing quality products. We also provide a complete service from initial enquiry through final installation by the customer to support thereafter.



**Company Ethos/** We pride ourselves on great customer services and to listen to our customers, anticipating what they require.

**Our Aim/** To provide a complete service from initial enquiry through installation to support thereafter.

We thrive on being able to provide reliable, affordable machinery and support to businesses in order to establish and grow high.

The smart way to pack!

We manufacture and supply brand new packaging equipment and machinery.

We provide multihead weighers, vertical form fill seal bagging machines, bespoke packing systems and complete lines. We also provide support, spares and servicing.

All of our support, servicing and sales teams are UK based to ensure confidence, professionalism and speedy results.



- Technical Support
- Parts
- Servicing
- Call Outs
- Maintenance Contracts
- Extended Warranties

- Upgrades / Options
- Installation
- Training
- Commissioning
- Decommissioning
- Removal
- Buying Advice

